



What Is Cancer Rehabilitation and How Can it Help My Patients?
March 15

Sound Check
03:55

Start Time
04:00

Contact UNCLCN
Phone: (919) 445-1000
Email: unclcn@unc.edu
Website: unclcn.org

Poll Everywhere for Q&A
poller.com/unclcn

Upcoming Live Webinars
learn.unclcn.org/live

For technical difficulties
(919) 445-1000
unclcn@unc.edu

Advanced Practice Provider

Abstracts/Poster Session created and coordinated by Nancy Figgerson, unclcn.org. In partnership with UNC Lineberger Cancer Network

This program is presented with live digital and clinical content

1

POLL EVERYWHERE

Join by Web



- 1 Go to PollEv.com
- 2 Enter UNCLCN
- 3 Respond to activity

2

TO CLAIM CE CREDIT

Participants must attend using one of the following:

- Zoom with the slides and video components
- At a designated site with a site coordinator

The following do NOT qualify for CE credit:

- Joining Zoom using Phone audio only (using the Zoom Android or iPhone app is fine)
- Watching with MediaSite

To claim CE credit


- View 50 minutes or more
- Fill out an evaluation and select a certificate
- Claim credit within seven days

3

AFTER THE WEBINAR

*To collect CE Credit,
please wait for UNCLCN
to end the Zoom video.*

**The Learning Portal only
receives Zoom attendance data
after the Zoom video has ended.**

A red hourglass icon with a black outline, symbolizing time passing or waiting.

4

CONTINUING EDUCATION CREDITS	FREE CE Credits with Live Webinars <i>Only Available at the Day and Time Indicated</i>			
	PATIENT CENTERED CARE		ADVANCED PRACTICE PROVIDER	
	2nd Wednesday 1st Wednesday	Jan-Oct Nov-Dec	NCPB/CNE ACPE ASRT CTR	3rd Wednesday Jan-Oct 2nd Wednesday Nov-Dec
	12 pm - 1 pm		4 pm - 5 pm	
	RESEARCH TO PRACTICE		SOUTHEASTERN AMERICAN INDIAN CANCER HEALTH EQUITY PARTNERSHIP	
	4th Wednesday 3rd Wednesday	Jan-Oct Nov-Dec	CME NCPB/CNE ACPE ASRT CTR	1st Wednesday Feb, May, Nov NCPB/CNE
	12 pm - 1 pm		12 pm - 1 pm	
	FREE CE Credits with Self-Paced, Online Courses <i>Available any Day and Time</i>			
learn.uncicn.org				


5

UNC Lineberger Cancer Network

ADVANCED PRACTICE PROVIDER

March 15, 2023

**What Is Cancer Rehabilitation
and How Can it Help My Patients?**




Sasha E. Knowlton, MD

A 5x10 grid of 50 small squares. The 10th square in the 2nd row is filled with a brown circular pattern, and the 10th square in the 3rd row is also filled with a brown circular pattern. All other squares are empty.

6

OUR PRESENTER



Sasha E. Knowlton, MD

Sasha E. Knowlton, MD, is an Associate Professor for Physical and Medicine Rehabilitation in the UNC School of Medicine. She received her degree from The George Washington University School of Medicine and Health Sciences in 2012 and her residency at Harvard Medical School Spaulding Rehabilitation Hospital from 2013 to 2016.

Dr. Knowlton's clinical and research goals focus on improving the quality of life and functional independence for patients with cancer from the time of diagnosis through treatment and into survivorship. She believes that creating a personalized cancer rehabilitation program for each patient in a collaborative manner with a team of healthcare providers enables the best outcomes.

7

OUR PRESENTER

8

OUR PRESENTER

5. Sasha E. Knowlton, MD, creates a personalized cancer rehabilitation program for each patient.

9

OUR PRESENTER

5.

Sasha E. Knowlton, MD, creates a personalized cancer rehabilitation program for each patient.

4.

Her clinical and research goals focus on improving the quality of life and functional independence for patients with cancer.

10

OUR PRESENTER

5.

Sasha E. Knowlton, MD, creates a personalized cancer rehabilitation program for each patient.

4.

Her clinical and research goals focus on improving the quality of life and functional independence for patients with cancer.

3.

She received her degree from The George Washington University School of Medicine and Health Sciences in 2012

11

OUR PRESENTER

5.

Sasha E. Knowlton, MD, creates a personalized cancer rehabilitation program for each patient.

4.

Her clinical and research goals focus on improving the quality of life and functional independence for patients with cancer.

3.

She received her degree from The George Washington University School of Medicine and Health Sciences in 2012

2.

She did her residency at Harvard Medical School Spaulding Rehabilitation Hospital from 2013 to 2016

12

OUR PRESENTER

5.

Sasha E. Knowlton, MD, creates a personalized cancer rehabilitation program for each patient.

4.

Her clinical and research goals focus on improving the quality of life and functional independence for patients with cancer.

3.

She received her degree from The George Washington University School of Medicine and Health Sciences in 2012

2.

She did her residency at Harvard Medical School Spaulding Rehabilitation Hospital from 2013 to 2016

1.

She is an Associate Professor for Physical and Medicine Rehabilitation at the UNC School of Medicine.

13

@ Respond at [Poll Everywhere.com/uncncln](https://poll Everywhere.com/uncncln)
@ Text **UNCNCLN** to **22333** once to join, then text your message

What one word comes to mind when you hear the phrase "Cancer Rehabilitation"?

No responses received yet. They will appear here...

Powered by Poll Everywhere

14

DISCLOSURES

This activity has been planned and implemented under the sole supervision of the Course Director, William A. Wood, MD, MPH, in association with the UNC Office of Continuing Professional Development (CPD). The course director and CPD staff have no relevant financial relationships with ineligible companies as defined by the ACCME.

The University of North Carolina at Chapel Hill is accredited with distinction as a provider of nursing continuing professional development by the American Nurses Credentialing Center's Commission on Accreditation.

A potential conflict of interest occurs when an individual has an opportunity to affect educational content about health-care products or services of a commercial interest with which he/she has a financial relationship. The speakers and planners of this learning activity have not disclosed any relevant financial relationships with any commercial interests pertaining to this activity.


15

For Educational Use Only


5




16



17



18




What is Cancer Rehabilitation?

“Cancer rehabilitation involves helping a person with cancer to help himself or herself to attain maximum physical, social, psychological and vocational functioning within the limits imposed by the disease and its treatment” *Cromes 1978*

“Cancer rehabilitation is a program that helps people with cancer to maintain and restore physical and emotional well-being. Cancer rehabilitation is available before, during and after cancer treatment.” *Mayo Clinic 2012*

Cromes Jr, G. Fred. "Implementation of Interdisciplinary Cancer Rehabilitation." *Rehabilitation Counseling Bulletin* 21.3 (1978): 230-7.

Mayo Clinic Staff. Tests and Procedures: Cancer rehabilitation in Minnesota. <http://www.mayoclinic.org/tests-procedures/cancer-rehabilitation/basics/definition/prc-20000333>

 SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 19

19



What is Cancer Rehabilitation?



Home » Survivorship » Rehabilitation » What is Cancer Rehabilitation? REQUEST PERMISSION

What is Cancer Rehabilitation?

Approved by the [Cancer.Net Editorial Board](#), 04/2019

Cancer and its treatment often cause physical, psychological, and cognitive problems. These problems can make it harder to do daily activities or return to work. They may also have a lasting effect on your health. Cancer rehabilitation can help with these problems, which can happen during and after cancer treatment. The goal of cancer rehabilitation is to:


- Help you stay as active as possible and participate in work, family, and other life roles
- Lessen the side effects and symptoms of the cancer and its treatment
- Help keep you as independent as possible
- Improve your quality of life

Cancer rehabilitation is given by trained rehabilitation professionals that you can work with during treatment. [Follow-up care](#) or [survivorship](#)

 SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation


Improving health, function, and well-being 20

20




Cancer Rehab Program Aims

- Clinical**
 - Outpatient clinic at Lineberger CC
 - Inpatient consults at UNC
- Research**
 - Functional and symptom improvement all along cancer continuum – prehab to survivorship
- Education**
 - Physicians and other providers
 - Patients and caregivers
- Collaboration!**
 - With oncology teams
 - With therapy teams
 - With support services and patients

 SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 21


21



Cancer Rehab Program Components


- Physiatry aka PM&R + Oncology teams
- Physical Therapy*
- Occupational Therapy*
- Speech Therapy*
- Nursing
- Social Work/Care Coordinator
- Mental Health Support
- Orthotics/Prosthetics
- Support Groups

Goal: Address functional limitations and enable better tolerance of journey through treatment and survivorship in a multidisciplinary fashion


 SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 22


22



Dietz Model



[dietz model for cancer rehabilitation - Blue Cross](#)

 SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 23

23



What does a physiatrist treat?

- Fatigue
- Arthralgia
- Myalgia
- Neuropathic pain
- Weakness
- Deconditioning
- Autonomic dysfunction
- Back pain
- Balance dysfunction
- Bowel dysfunction
- Chemotherapy-induced peripheral neuropathy
- Dystonia
- Graft-versus-host-disease
- Muscular asymmetry


- Lumbosacral plexopathy
- Neck pain
- Osteopenia/osteoporosis
- Paralysis
- Radiation Fibrosis
- Radiculopathy
- Scapular winging
- Scar adhesions
- Sensory deficits
- Sexual dysfunction
- Shoulder pain
- Dysphagia
- Trismus
- Urinary dysfunction
- Visuospatial dysfunction

Silver JK, Balma J, Mayer RS. Impairment-driven cancer rehabilitation: an essential component of quality care and survivorship. CA Cancer J Clin. 2013 Sep;63(5):295-317. doi: 10.3322/caac.21186. Epub 2013 Jul 15. PMID: 23856764.

 SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation


Improving health, function, and well-being 24

24




How does a physiatrist evaluate a patient?

- Functional lens
- Identify:
 - Impairments
 - Disabilities
 - Handicaps
- Ask about individual limitations and concerns through a *functional history*
- Address realistic goal expectations
 - Keep in mind balancing safety and independence


SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation


Improving health, function, and well-being 25

25




Why is function important?

- The ability to do daily tasks independently is **vital** for a sense of self
 - “More than **70%** of older patients with cancer report that they would not choose a treatment that results in functional impairment, even if it improves survival” (Loh 2021)
- **Prognosis** is linked to functional outcome in cancer (Rogers 2020, DuMontier 2019, Rades 2008)


SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation


Improving health, function, and well-being 26

26




Predictors of functional decline

- **Demographics**
 - Older, non-white, unmarried, lower education, lack of health insurance, +tobacco use, low physical activity, poor coping
- **Disease/treatment factors and co-morbidities**
 - Type of cancer (breast, lung, colorectal), stage, progression
 - Baseline functional impairment, polypharmacy, depression, abnormal nutrition status, cognitive impairment, medical comorbidities, other symptoms (dyspnea, fatigue, weakness), higher symptom burden


SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 27

27




Why does functional status matter?

- Functional impairment causes
 - Shorter survival
 - Increases risk for chemotherapy toxicity
 - Higher symptom burden
- How common is it?
 - Rates range **39-78% in older adults**


• Naftegale G, Battist M, Loh KP, Puts M, Menz C, Goldberg A, Haase KR, Kosh-Schoen L, Lipsitz G, Satter S, Stolz-Baskett P, Peggibelli M. Perspectives on functional status in older adults with cancer: An interprofessional report from the International Society of Geriatric Oncology (ISGO) nursing and allied health interest group and nursing ISGO. J Geriatr Oncol. 2021 May;32(5):698-705. doi: 10.1016/j.jgo.2020.10.010. Epub 2020 Nov 7. PMID: 33172803. PMCID: PMC7320555.

• Pandey C, Maghsoosi A, Hanratty M, Stott J, Duberstein P, Loh KP, Ramakrishna E, Gilmore H, Dale M, Mahalik G. Association between Symptom Burden and Physical Function in Older Patients with Cancer. J Am Geriatr Soc. 2019 May;67(5):999-1006. doi: 10.1111/jgs.15864. Epub 2019 Mar 8. PMID: 30848838. PMCID: PMC6703335.

 **SCHOOL OF MEDICINE**
Physical Medicine and Rehabilitation

Improving health, function, and well-being 28

28



When poll is active, respond at polllev.com/unclcn
Text **UNCLCN** to **22333** once to join

UNC Lineberger Comprehensive Cancer Center
UNC Lineberger Cancer Network


What is an instrumental activity of daily living (IADL)?

Getting dressed

Taking a shower


Cooking a meal

All of the above

Powered by  **Poll Everywhere**


Start the presentation to see live content. For screen share software, share the entire screen. Get help at polllev.com/help

29



Function ↔ Quality of Life ↔ Prognosis


- Improved quality of life is associated with improved prognosis
- Improved independence with IADLs is associated with improved survival



Fried TR, Bradley EH, Towler VR, Allore H. Understanding the treatment preferences of seriously ill patients. N Engl J Med. 2002 Apr 4;346(14):1361-6. doi: 10.1056/NEJMoa020528. PMID: 11932474.


• Malone P, Perrone T, Gallo C, Marone L, Pantedo F, et al. Pretreatment quality of life and functional status assessment significantly predict survival of elderly patients with advanced non-small cell lung cancer receiving chemotherapy: a prognostic analysis of the multicenter Italian lung cancer elderly study. J Clin Oncol. 2005 Oct 1;23(26):6670-75. doi: 10.1200/JCO.2005.01.327. PMID: 16260275.

• Dukerich C, Liu MA, Marotta A, Hsieh T, Javaden H, Saffier R, Stone RM, Driver JA, Abel GA. Function, Survival, and Care Utilization Among Older Adults With Metastatic Melanoma. J Am Geriatr Soc. 2020 May;68(5):889-897. doi: 10.1111/jgs.15858. Epub 2020 Apr 4. PMID: 32062795.

 **SCHOOL OF MEDICINE**
Physical Medicine and Rehabilitation

Improving health, function, and well-being 30

30



Pain ↔ Function

- **Multiple reasons to have pain**
 - Tumor pain
 - Fractures
 - Muscle strain
 - Spasticity
 - Radicular pain
 - Skin breakdown
- **Treatment**
 - Medication
 - PT+OT
 - Modalities
 - Compression garments
 - Bracing
 - Interventions/Surgery


Rog, V.S. and Coffey, L., 2013. Rehabilitation and treatment of spinal cord tumors. *The journal of spinal cord medicine*, 36(1), pp.11-4.

Ruppert LM. 2017. Malignant spinal cord compression: Adapting conventional rehabilitation techniques. *Phys Med Rehabil Clin N Am*. 28:320-334.

UNC | SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 31

31




Examples of physiatry interventions

- Spinal cord injury from metastases
 - Trial neuropathic pain medication
 - Assess bowels/bladder and provide medication and intervention management
 - Referral to PT for mobility and OT for ADLs
 - Spasticity management
- Dropped head in a Hodgkin's case
 - Active bracing
 - Referral to PT for posture, strengthen neck extensors
- Shoulder impingement in breast cancer
 - Subacromial corticosteroid injection
 - Referral to OT to work on ADLs
 - Referral to PT to work on scapular stabilization, improve ROM

UNC | SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 32

32




Spinal cord injury from metastases →...

- Pain
- Spasticity
- Neurogenic bowel
- Neurogenic bladder
- Sexual dysfunction
- Weakness
- Sensory changes
- Hemodynamic instability
- Autonomic dysreflexia*

UNC | SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 33

33



Spasticity


- Increased tone or stiffness that is velocity dependent
- Occurs when there is an injury to the spinal cord
- Can be functionally beneficial
- Treat with
 - Stretching exercises
 - Splinting or casting
 - Oral medications
 - Botox

Ruppert LM. 2017. Malignant spinal cord compression: Adapting conventional rehabilitation techniques. Phys Med Rehabil Clin N Am. 28:320-334.

UNC SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 34

34



Neurogenic bladder

- Identify upper motor (UMN) versus lower motor neuron (LMN) pattern
 - Use voiding diary, urodynamic studies, post-void residual and exam
- Pelvic Floor Therapy
- For UMN
 - Medications (alpha blockers, anticholinergics)
 - Establish catheterization program
- For LMN
 - Medications (cholinergics)
 - Crede/Valsava and double void techniques


Raj, V.S. and Coffey, L., 2013. Rehabilitation and treatment of spinal cord tumors. The journal of spinal cord medicine, 36(1), pp.11-4.

Ruppert LM. 2017. Malignant spinal cord compression: Adapting conventional rehabilitation techniques. Phys Med Rehabil Clin N Am. 28:320-334.

UNC SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 35

35



Neurogenic bowel

- Identify upper motor (UMN) versus lower motor neuron (LMN) pattern
 - Use stooling diary and imaging to establish pattern
- Educate on diet and hydration
- Pelvic floor therapy
- For UMN
 - Combination of oral agents+stimulants “above and below”
- For LMN
 - Bulking agents and manual disimpaction


Raj, V.S. and Coffey, L., 2013. Rehabilitation and treatment of spinal cord tumors. The journal of spinal cord medicine, 36(1), pp.11-4.

Ruppert LM. 2017. Malignant spinal cord compression: Adapting conventional rehabilitation techniques. Phys Med Rehabil Clin N Am. 28:320-334.

UNC SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 36


36



Why care about sensory and motor changes?


- **Risk of pressure ulcers, wounds and skin breakdown**
 - Learn pressure relief strategies
 - Regular skin checks
 - Nutrition education
 - Establish effective bowel and bladder program*
- **Risk of aspiration and pneumonia**
 - Swallow studies
 - Modified diet
 - Speech therapy to strength mouth muscles
- **Risk of fractures**
 - Treat with PT/OT
 - May need bracing or equipment
 - May need intervention

* Ray, V.S. and Luffen, L. 2023. Rehabilitation and treatment of spinal cord tumors. The Journal of spinal cord medicine, 36(3), pp.11-4.
* Ruppert LM. 2017. Malignant spinal cord compression: Adapting conventional rehabilitation techniques. Phys Med Rehabil Clin N Am. 28:125-134.

 **SCHOOL OF MEDICINE**
Physical Medicine and Rehabilitation

Improving health, function, and well-being 37


37



Cognitive changes aka chemo brain, brain tumor, metastases, etc.

- Commonly described cognitive impairments include:
 - Attentional deficits
 - Memory
 - Language
 - Verbal learning and reasoning
 - Visual perception
 - Executive functioning
 - Psychomotor speed
- Treatment options include
 - Medications
 - Cognitive therapy

• Vargo M. Brain tumor rehabilitation. Ann J Phys Med Rehabil. 2011. 90(suppl): S50-S62.
• Meyer DA, Veltner AM, Schneider JC et al. Methylphenidate therapy improves cognition, mood and function of brain tumor patients. 1996. J Clin Oncol. 14: 2522-2527.
• Tumor-related neurocognitive dysfunction in patients with diffuse glioma: a systematic review of neurocognitive function prior to anti-tumor treatment. J Neurooncol. 2017. 134:9-12.
• Van Heest E, Stewart BA, Van Landuyt P, et al. Tumor-related neurocognitive dysfunction in patients with diffuse glioma: a systematic review of neurocognitive functioning prior to anti-tumor treatment. J Neurooncol. 2017. 134:9-16.


 **SCHOOL OF MEDICINE**
Physical Medicine and Rehabilitation

Improving health, function, and well-being 38


38


When poll is active, respond at pollev.com/uncclcn

Text **UNCCLCN** to **22333** once to join

 **UNC Lineberger Cancer Network**


What percentage of breast cancer survivors report at least one functional impairment?



Powered by  **Poll Everywhere**

Start the presentation to see live content. For screen share software, share the entire screen. Get help at pollev.com/app.

39



Physiatry diagnoses in breast cancer

- AI-induced arthralgia
- Shoulder/neck pain/limited ROM/dysfunction
- Lymphedema/cording/radiation fibrosis
- Post-mastectomy/lumpectomy pain
- Chemotherapy-induced peripheral neuropathy

• In one study, 6 years after diagnosis, **>60%** of women experienced at least one impairment

• In another study of metastatic breast cancer patients, **92%** identified at least one impairment


Schmitz, Kathryn K., et al. "Prevalence of breast cancer treatment sequelae over 6 years of followup." *Cancer* 118.58 (2012): 2217-2225.

Chenillo, Andrea L., et al. "Prevalence and treatment patterns of physical impairments in patients with metastatic breast cancer." *Journal of Clinical Oncology* 39.36 (2021): 2021-2029.

UNC | SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 40

40




Physiatry diagnosis in HNC

- Pain – nociceptive, neuropathic
- Chewing difficulties
- Dysphagia
- Xerostomia
- Mucositis
- Impaired dentition
- Reduced taste
- Trismus
- Voice loss
- Lymphedema
- Speech dysfunction
- Radiation fibrosis
- Neck and shoulder dysfunction

UNC | SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 41

41




Physiatry diagnoses in BMT

- Deconditioning/fatigue
- Joint+Fascial GVHD
- Steroid myopathy
- Osteopenia/osteoporosis
- Avascular necrosis
- Chemotherapy-induced peripheral neuropathy

UNC | SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 42

42




Steroid Myopathy

- At least 40% of patients with GVHD affected
- Associated with weakness and functional impairment
- Intervene early with safe exercise \pm physical therapy

• Lee H, Chen B, Saliba RM, Couriel DM, Shen K, Massey P, Neumann L, de Lima M, Changpin R, Graft S. Steroid myopathy in patients with acute graft-versus-host disease treated with high-dose steroid therapy. Bone Marrow Transplant. 2004 Aug;38(2):299-303. doi: 10.1038/sj.bmt.1003442.
 • Smith SR, Asher A. Rehabilitation in Chronic Graft Versus Host Disease. Phys Med Rehabil Clin N Am. 2017 Feb;28(3):543-553. doi: 10.1016/j.pmr.2016.08.008. PMID: 27912993.

UNC SCHOOL OF MEDICINE
 Physical Medicine and Rehabilitation
 Improving health, function, and well-being 43

43




Even before intervention → PREHAB!

- Obtain a baseline functional status
- Identify pre-treatment impairments
- Improve physical and emotional health **before** treatment
- **Reduce** treatment-related **morbidity** and/or **mortality**
- Decrease length of hospital stay and readmissions
- Increase available treatment options for patients
- **GOAL:** Return patients to the highest level of function possible as soon as possible

Silver, Julie K., Jennifer Barrio. Cancer prehabilitation: an opportunity to decrease treatment-related morbidity, increase cancer treatment options, and improve physical and psychological health outcomes. Am J Phys Med Rehabil. 2013; 92(8): 715-727.

UNC SCHOOL OF MEDICINE
 Physical Medicine and Rehabilitation
 Improving health, function, and well-being 44

44




Goals of prehabilitation

- Address SNAP
 - Smoking cessation
 - Nutrition
 - Alcohol intake
 - “Potato” aka Sedentary behaviors
- Address competing factors
 - Medical comorbidities
 - Polypharmacy
 - Pre-existing cognitive and physical impairment
 - Frailty

UNC SCHOOL OF MEDICINE
 Physical Medicine and Rehabilitation
 Improving health, function, and well-being 45

45



46

Prehab tries to prevent... sarcopenia. What is sarcopenia?

- **Defined as:** loss of muscle mass, strength* or function
- Increases frailty risk and adverse outcomes

Table 1
Mechanisms in the development of sarcopenia

Physiological	Social	Pathological
Low activity	Social isolation	Low activity related to Disability
Reduced oral intake	Poverty, inability to cook and/or obtain food	Inflammation
Age-related declines	Loneliness	Mental deterioration
Changes in hormones	Alcohol	Comorbidities
Reduced testosterone		GI diseases
↓Thyroid hormones		Hypertension (hypertension, infection)
Anemia		Other disease (cardiovascular, cancer, kidney)
Pain/dyspnea	Lifestyle choices	Medications/chemotherapy
Swallowing difficulties		

Robertson HT, Michel C, Bart L, Hamilton-Reeves JM. Sarcopenia in oncologic oncology: Identification and strategies to improve patient outcomes. *Unit Oncol*. 2020;May 24:53078-54982(830297-6). doi: 10.1016/j.uonc.2020.05.001. Epub ahead of print. PMID: 32468564.

UNC SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation
Improving health, function, and well-being 47

47

Sarcopenia→Deconditioning


- Associated with:
 - Worse survival outcomes
 - Increased post-operative and treatment complication rates in bladder, prostate and renal cancer
 - Increased chemotherapy toxicity

• Jahnke V, Laakhtina E, D'Andrea D, Sharad SF. The prognostic value of sarcopenia in patients with prostate cancer: a systematic review. *Curr Opin Oncol*. 2021 Jul 1:314(4):315-323. doi: 10.1097/MCO.0000000000000885. PMID: 33669862.

• Hansen TD, Christensen LO, von Heynen A, Johansen C, Clausen ML, Suetens C, Rasmussen R, Rasmussen R. Development of Sarcopenia in Patients With Bladder Cancer: A Systematic Review. *Semin Oncol Nurs*. 2021 Feb;37(1):151-158. doi: 10.1016/j.seonc.2020.151158. Epub 2021 Jan 8. PMID: 33602276.

UNC SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation
Improving health, function, and well-being 48

48



How to assess for sarcopenia

- Imaging – CT, MRI, ultrasound
 - Standard: Measure psoas / L3 muscle bulk
- Strength and Functional tests
 - Handgrip, 6MWT, TUG, 30 sec sit to stand, gait speed
- Screening tests- validated*
 - SARC-F* and SPSM*


* Robertson HL, Michel C, Bart L, Hamilton Reeves JM. Sarcopenia in oncologic oncology: Identification and strategies to improve patient outcomes. *Unit Oncol*. 2020 May 24;33(7):1493-1507. doi: 10.1016/j.uclonc.2020.05.003. Epub ahead of print. PMID: 32456894.

* Chin-Jeneth AL, Patel G, Bauer J, Bauer V, Bouillon C, Espeland L, Cooper C, Landi F, Roland P, Super A, Schneider MA, Sieber CC, Topinkova E, Vandewoude MA, Vetter M, Zarboon M. Working Group for the European Working Group on Sarcopenia in Older People 2 (EWGSOP2), and the Extended Group for EWGSOP2. Sarcopenia-related European consensus on definition and diagnosis. *Age Ageing*. 2019 Jan 1;48(1):16-31. doi: 10.1093/ageing/afy044. Epub ahead of print. PMID: 30322572. PMID: 30322572.

UNC | SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 49

49



How to manage sarcopenia


- Nutrition: PROTEIN! And Vitamin D
 - Standard: 0.8 g/kg of body weight
 - For sarcopenia: 1-1.5 g/kg of body weight
 - Supplementation?
- Exercise
 - Aerobic + Resistance
 - Early intervention is best (prehab)

Robertson HL, Michel C, Bart L, Hamilton Reeves JM. Sarcopenia in oncologic oncology: Identification and strategies to improve patient outcomes. *Unit Oncol*. 2020 May 24;33(7):1493-1507. doi: 10.1016/j.uclonc.2020.05.003. Epub ahead of print. PMID: 32456894.

UNC | SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 50

50




How to manage deconditioning and fatigue

- Assess core and lower extremity strength
 - Manual muscle testing, gait, transitional movements i.e. sit to stand, balance
- Address any medical contributions
 - Anemia, thyroid dysfunction, malnutrition, etc.
- Review whether an ambulatory aid would be of assistance
- Educate about exercise and importance of regular physical activity in a safe manner
- Fall risk assessment

UNC | SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 51

51



How common is CIPN?


- Thought to be underestimated
- Review by Seretny et al (2014):
 - **One month** after completing chemotherapy, prevalence was **68.1%**
 - **Three months** after completing chemotherapy, prevalence was **60%**
 - **Six months** after completing chemotherapy, prevalence was **30%**

Seretny, Marts, et al. "Incidence, prevalence, and predictors of chemotherapy-induced peripheral neuropathy: A systematic review and meta-analysis." *J Pain* 15(12) (2014): 2463-2470.

UNC | SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 55

55



Why care about neuropathy?

- **Impaired Function – Falls and ADLs**
- **Quality of life**
 - Toftsgaen et al: **Worse** quality of life associated with increased CIPN
 - Mols et al: CIPN and quality of life systematic review
 - Majority of studies show **more CIPN symptoms correlated with lower quality of life**


Toftsgaen, Onley, et al. "Oxaliplatin-induced peripheral neuropathy's effects on health-related quality of life of colorectal cancer survivors." *Supportive Care in Cancer* 24 (12) (2016): 3307-3313.

Mols, Riphagen, et al. "Chemotherapy-induced peripheral neuropathy and its association with quality of life: a systematic review." *Supportive Care in Cancer* 23 (10) (2015): 2555-2569.

UNC | SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation

Improving health, function, and well-being 56

56



How does neuropathy affect function?


- Worse performance on functional tests
- Conservative gait with slowed walking speed = increased fall risk
- Lower levels of function/ADLs
- Increased odds of falling x 1.8

Winters, Stone (RMT), et al. "Pain, functioning and disability among women with persistent symptoms of chemotherapy-induced peripheral neuropathy." *J Clin Oncology* 35(28), 2017: 2604-2610.

UNC | SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation


Improving health, function, and well-being 57

57



Symptom Profile

- Positive and / or Negative symptoms
- **Positive**
 - Pain (shock, burn, stab, lancing)
 - Dysesthesia, hypersensitivity
 - Tingling
 - Pruritis, cramping
- **Negative**
 - Numbness
 - Impaired proprioception/balance
 - Weakness including foot drop




SCHOOL OF MEDICINE


Physical Medicine and Rehabilitation

Improving health, function, and well-being 58

58



59




CIPN: Prevention and Treatment

- Hershman et al: Practice Guideline
 - No agents for prevention
 - **Duloxetine can be used for treatment**
- PT - desensitization, proprioceptive feedback, TENS
- AFOs
- Others – acupuncture

Smith, Ellen M, Lavoie, et al. "Effect of duloxetine on pain, function, and quality of life among patients with chemotherapy-induced painful peripheral neuropathy: a randomized clinical trial." *Annals of Internal Medicine* 176.12 (2022): 1359-1367.

Aggarwal, Anshu A, et al. "Chemotherapy-induced peripheral neuropathy (CIPN): an update." *Critical reviews in oncology/hematology* 162.1 (2022): 53-77.

Hershman, Dawn L, et al. "Prevention and management of chemotherapy-induced peripheral neuropathy in survivors of adult cancers: American Society of Clinical Oncology clinical practice guideline." *Journal of Clinical Oncology* 39(24): e20-3013.




SCHOOL OF MEDICINE

Physical Medicine and Rehabilitation

Improving health, function, and well-being 60

60




Rehab interventions for CIPN

- Decreased balance and slower walking speeds can be seen after **one dose** of taxane
- Start with static standing, then add simple manipulation, then walking, then manipulation while walking
- Work on gait training and LE strengthening and proprioception
- Hand therapy/OT can focus on strengthening, NM re-education, adaptive equipment


Monfort, S.M., Pan, X., Patrick, R., Romsdahl, B., Winkowski, R., Naughton, M.J., Loprinzi, C.L., Chaudhuri, A.M. and Lutzberg, M.B., 2022. Gait, balance, and patient-reported outcomes during taxane-based chemotherapy in early-stage breast cancer patients. *Breast cancer research and treatment*, 264(1), pp.69-77.

Wang, R., Ma, Y. and Li, S., 2016. Phase 2 study of acupuncture-like transcutaneous nerve stimulation for chemotherapy-induced peripheral neuropathy. *Integrative cancer therapies*, 21(2), pp.353-364.

 **SCHOOL OF MEDICINE**
Physical Medicine and Rehabilitation

Improving health, function, and well-being 61

61




Rehab interventions part 2

- Desensitization and TENS
- Laser therapy (photobiomodulation)
- Scrambler therapy being actively researched
- Can trial AFOs for foot drop **or** proprioception
- Ambulatory aids
- Compression socks, wool socks
- Trial acupuncture
- Skin checks


Puhan, S. and Abd, S., 2018. Treatment of chemotherapy-induced peripheral neuropathy: systematic review and recommendations. *Pain physician*, 22, pp.575-592.

Smith, T.J., Bazzak, A.S., Blackford, A.L., Enninger, J., Sall, C., Longo-Schoberlein, D. and Loprinzi, C.L., 2019. A Pilot Randomized Sham-Controlled Trial of MCS-A Scrambler Therapy in the Treatment of Chronic Chemotherapy-Induced Peripheral Neuropathy (CIPN). *Journal of palliative care*. pp.026677021987688.

 **SCHOOL OF MEDICINE**
Physical Medicine and Rehabilitation

Improving health, function, and well-being 62

62




Treatment for CIPN

- Exercise
 - Helps symptoms
 - Improve QOL and ADL independence
- During chemotherapy administration, those who exercised experienced **symptoms less commonly** and also **less severe symptoms** compared to those who did not exercise


Zimmer, P., Trebing, S., Timmers-Tröbng, U., Schenk, A., Paul, R., Buch, W., Rudolph, R., Siedemann, F. and Baumann, F.T., 2018. Eight-week multimodal exercise counteracts a progression of chemotherapy-induced peripheral neuropathy and improves balance and strength in metastasized colorectal cancer patients: a randomized controlled trial. *Supportive Care in Cancer*, 26(1), pp.615-624.

Madhoo, J.R., Kamen, C., Gower, J.S., Mahdy, N.A., Hedder, C.E., Culakova, E., Fang, C., Joniksen, M.C., Aiano, M., Liu, P.J. and Reddy, P.S., 2018. Effects of exercise during chemotherapy on chemotherapy-induced peripheral neuropathy: a multicenter, randomized controlled trial. *Supportive Care in Cancer*, 26(4), pp.1029-1038.

 **SCHOOL OF MEDICINE**
Physical Medicine and Rehabilitation

Improving health, function, and well-being 63

63




How to refer in EPIC

There will be a referral specific to cancer rehab (Ambulatory Referral to Cancer Rehab) in Epic at some point.

For now, please email Tina Thornhill Tina.Thornhill@unchealth.unc.edu or Sharita Hairston Sharita.Hairston@unchealth.unc.edu to have a patient scheduled.

UNC SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation
Improving health, function, and well-being 64

64



Contact Information

Sasha E. Knowlton, MD

Email: sasha_knowlton@med.unc.edu

Clinic Locations:

- Surgical Oncology
- Hematology Oncology
 - *New patient coordinator:* Sharita Hairston+Tina Thornhill

UNC SCHOOL OF MEDICINE
Physical Medicine and Rehabilitation
Improving health, function, and well-being 65

65



UNC LINEBERGER COMPREHENSIVE
CANCER CENTER
UNC Lineberger Cancer Network

Questions/Comments?

Powered by [Poll Everywhere](https://www.poll Everywhere.com)

Start the presentation to see live content. For screen share software, share the entire screen. Get help at poll Everywhere.com/app

66

THANK YOU!

University Cancer
Research Fund

UNC

LINEBERGER COMPREHENSIVE
CANCER CENTER

UNC Lineberger Cancer Network

The Telehealth Team

Tim Poe, Director

Veneranda Oburo, Technology Support Specialist

Jen Powell, PhD, Continuing Education Specialist

Oliver Marth, Technology Support Technician


Andrew Dodgson, DPT, Continuing Education Specialist

Nadja Brown, Inpatient Administrative Support Specialist


Patrick Muscarella, Technology Support Technician

67


UPCOMING LIVE WEBINARS




Clinical Updates in Breast Virology
March 22



PATIENT-CENTERED CARE
Where the Rubber Meets the Road
Community Academic Partnership
to Advance Equity in Research and Care
April 5



PATIENT-CENTERED CARE
Domestic Violence and Intimate Partner Abuse
April 12




ADVANCED PRACTICE PROVIDER
Individual and Family Coping with Psychological Aspects of Cancer
April 19


Complete details on upcoming LIVE webinars:
learn.uncicn.org/live-webinars

68


SELF-PACED, ONLINE COURSES




ADVANCED PRACTICE PROVIDER
The Value of Integrative Medicine in Oncology Care
April 19



PATIENT-CENTERED CARE
Therapeutic Management of Complexities
April 19



PATIENT-CENTERED CARE
The Umbrella and the Kitchen Table: Providing Safe, Supportive Care for Cancer Patients
April 19



ADVANCED PRACTICE PROVIDER
Casting the Chain Between Nursing Community Priorities in Cancer Prevention and Healthcare Research Priorities
April 19

Today's webinar will be available in April 2023 as a FREE, Self-Paced, Online Course

Complete details on Self-Paced Online Courses:
learn.uncicn.org/spoc

69

For Educational Use Only

23

THANK YOU FOR PARTICIPATING!

UNC Lineberger Cancer Network

Email: unclcn@unc.edu
Call: (919) 445-1000

Send us an email to sign up for our monthly e-newsletter.
Check us out at unclcn.org

 facebook.com/unccn

 [@unc_cn](https://twitter.com/unc_cn)

70