





Melissa Holt, DNP, PMHNP-BC, MSW


Melissa Holt is a board certified psychiatric mental health nurse practitioner with the Comprehensive Cancer Support Program at UNC. She received her DNP from UNC Chapel Hill in 2018 and spent time working in private practice in general psychiatry before joining UNC in 2020. Prior to becoming a nurse practitioner, she was a hospice and home health social worker with several local agencies, a staff nurse on 4 Oncology at UNC, and a nurse navigator with the GU medical oncology team. She has always had a passion for working with people with cancer and focusing on their psychosocial needs. She has a special interest in anxiety and mood disorders and how critical illness impacts the treatment and care of these patients. Her role within the Comprehensive Cancer Support Program is to provide psychiatric medication management and psychotherapy for the patients receiving care at the UNC Cancer Hospital. She is also the Survivorship Program Coordinator for the UNC Cancer Hospital.

Melissa lives in Chapel Hill with her husband, Tom, and her sweet dog, Maybelle. She is a mother of 2 sons and step mother of 2 sons and 1 daughter. She enjoys spending time with her family, Pilates, movies, and taking long walks with friends.

UR PRESENTE








- 2. She received her DNP from UNC Chapel Hill in 2018 and spent time working in private practice in general psychiatry before joining UNC in 2020.
- Prior to becoming a nurse practitioner, she was a hospice and home health social worker with several local agencies, a staff nurse on 4 Oncology at UNC, and a nurse navigator with the GU medical oncology team.


UR PRESENTER



Lisa Stewart, Psy.D.

Dr. Stewart is a clinical psychologist with specialized training in health psychology. She is an Assistant Professor in the Department of Psychiatry at the University of North Carolina. She works within the inpatient Consultation-Liaison Psychiatry service and the Comprehensive Cancer Support Program. Dr. Stewart has worked in various medical settings, where she has treated patients with a wide range of acute and chronic medical and psychiatric comorbidities. She has a strong appreciation for the complex interplay between biomedical, sociocultural, and psychological factors and outcomes. Dr. Stewart's interests include cancer survivorship, behavioral interventions for illness management, training/supervision, and interdisciplinary strategies to promote health equity.







3. Dr. Stewart received her PsyD from the Florida Institute of Technology and completed her pre-doctoral internship and post-doctoral fellowship with emphasis in Health Psychology at the James A. Haley Veterans' Hospital in Tampa, FL

2. Dr. Stewart joined UNC faculty in 2021 and spearheaded the development of the Adult Consultation-Liaison Psychology Service.


UR PRESENTER
















We have no financial disclosures.

22






 Emotional, psychological, and social difficulties that can arise as a result of a cancer diagnosis and its treatment. Can occur at any point, from initial diagnosis, to treatment, to survivorship, and beyond. Very common, and can impact cancer patients' quality of life, adherence, and treatment outcomes.
to treatment, to survivorship, and beyond.Very common, and can impact cancer patients' quality
(Nakamura et al., 2021; Niedzwiedz et al., 2019)
UNCC







70-year-old male with 9-year history of prostate cancer recently learned that his cancer has metastasized to his bones, and he is now struggling with pain. He started feeling depressed last year and is finding that his depression has worsened as the pain has become intolerable along with the recent news that his cancer is now metastatic. He is endorsing depressed mood, anhedonia, feelings of hopelessness, low self-esteem, fatigue, and difficulty concentrating.


27


















Cognitive Restructuring

- Changing negative thoughts to more positive thoughts
- Leads to a change in behavior and change in feelings


UNC





Automatic Thoughts (Cognitive Errors)


Automatic Thought	
All-or-nothing thinking	Seeing things in extreme terms. "Things are hard now, so there is nothing to look forward to in life."
Catastrophizing	Thinking a situation is much worse than it is. "My pain is worse today, so I'm probably going to die soon."
Emotional reasoning	Assuming our feelings convey useful information. "My depression is worse today, so that probably means that my cancer is worse than they are telling me."
Discounting the positive	Minimizing the evidence that contradicts one's negative thoughts. "My family made me laugh last night because they feel sorry for me."
Fortune telling	Making predictions based on scant information. "The doctors are so busy that they aren't going to give me the best treatment options."
(Gillihan, 2018)	
LINBBERGER	

















BUNC Internet Sector Attack	Which component of ACT involves learning to detach from unhelpful or harmful thoughts and emotions, and observing them from a distance?	1
	Acceptance	
0%		
	Mindfulness	
0%		
	Defusion	
0%		
	Values	
0%		
	Committed Action	
0%		
	Start the presentation to see live content. For screen share software, share the entire screen. Get help at pollev.com/app	

Case Example #3

56-year old female with hormone-receptor positive breast cancer has completed surgery, radiation, and chemotherapy. She has been prescribed Tamoxifen therapy for the next 5 years after difficulty tolerating an aromatase inhibitor. She is not consistently taking this medication despite receiving education that Tamoxifen can reduce the chance of recurrence by 40 to 50% in post-menopausal women.


45


Case Example #3 (Continued)


The common side effects of Tamoxifen are hot flashes, vaginal discharge, nausea, fatigue, mood swings, depression, and hair thinning. She has been fortunate to only experience a few of the potential side effects (hot flashes and mood swings). Despite tolerating the Tamoxifen with few adverse effects, she struggles to be consistent with taking this medication each day.

46


UNC
























	Change Talk	
Desire	"I wish I could remember my Tamoxifen"	"I hate taking medicines"
Ability	"I could probably motivate myself to take my medicine"	"I don't think I can make myself do this"
Reasons	"My family would stop worrying about me if I would take my Tamoxifen"	"The doctors really don't know if this medicine will help prevent recurrence"
Need	"I've got to stay healthy for my kids"	"Lots of people do fine without Tamoxifen"
Willingness	"I'm thinking about being more consistent"	"I'm under too much stress at work to deal with any side effects"
Commitment	"I'm going to start taking my Tamoxifen"	"I'm not ready to deal with this"
Taking Steps	"I've purchased a pill box that I'm going to keep next to my toothbrush to remember to take before bed"	"I haven't picked up the medicine from the pharmacy"
(Rollnick, Miller, &	Butler, 2023)	
UNC		

Case Example #4

72-year old male recently diagnosed with metastatic small cell lung cancer. He reports feeling depressed and hopeless since diagnosis. He is struggling to reconcile his diagnosis with his identity and belief system. He denied suicidal ideation, however, made statements to his oncologist indicating a desire to hasten death.

UNC LINEBERGER

56







- · Rooted in existential approaches to psychotherapy
- · Recognizes meaning and purpose as fundamental human needs
- Brief, structured, manualized
- · Formats available for group and individual therapy

(Breitbart, 2002; Breitbart et al., 2012)





UNC






MCP Sources of Meaning	
WICE Sources of Meaning	
 Historical Traditions, values, and narratives passed down through generations Attitudinal Role of perspective and values in overcoming adversity Creative Self-expression and pursuit of personal passions Experiential Personal experiences and connections with life 	3
(Breitbart et al., 2012)	
	UNC CANCER CARE
61	







		Psychodynamic theory
0%	0	
		Existential theory
0%	0	
		Social cognitive theory
0%	0	
		Behavioral theory
0%	0	



	References
	Beck, J. S. (2011). Cognitive behavior therapy: Basics and beyond. 2nd Ed. New York, The Guilford Press Breitbart W. Spirituality and meaning in supportive care: spirituality- and meaning-centered group psychotherapy interventions in advanced cancer. Support Care Cancer. 2002 May;10(4):272-80. doi: 10.1007/s005200100289. Epub 2001 Aug 28. PMID: 12029426.
	Breitbart W, Poppito S, Rosenfeld B, Vickers AJ, Li Y, Abbey J, Olden M, Pessin H, Lichtenthal W, Sjoberg D, Cassileth BR. Pilot randomized controlled trial of individual meaning- centered psychotherapy for patients with advanced cancer. J Clin Oncol. 2012 Apr 20;30(12):1304-9. doi: 10.1200/JCO.2011.36.2517. Epub 2012 Feb 27. PMID: 22370330; PMICID: PMC3648315.
	Breitbart W, Rosenfeld B, Gibson C, Pessin H, Poppito S, Nelson C, Tomarken A, Timm AK, Berg A, Jacobson C, Sorger B, Abbey J, Olden M. Meaning-centered group psychotherapy for patients with advanced cancer: a pilot randomized controlled trial. Psychooncology. 2010 Jan;19(1):21-8. doi: 10.1002/pon.1556. PMID: 19274623; PMCID: PMC3648880.
	Carlson LE, Bultz BD. Benefits of psychosocial oncology care: improved quality of life and medical cost offset. Health Qual Life Outcomes. 2003 Apr 17;1:8. doi: 10.1186/1477-7525- 1-8. PMID: 12756059: PMCID: PMC155787.
	Fefergrad, M. & Zaretsky, A. (2013). Cognitive behavioral therapy for depression. New York, W. W. Norton & Company.
	Frankl, V. E. 1., Lasch, I., Kushner, H. S., & Winslade, W. J. (2006). Man's search for meaning. Boston, Beacon Press.
	Gillihan, S. J. (2018). Cognitive behavioral therapy made simple: 10 strategies for managing anxiety, depression, anger, panic, and worry. Emeryville, CA: Althea Press.
	Hayes SC, Strosahl K, Wilson KG. Acceptance and commitment therapy: An experiential approach to behavior change. New York: Guilford Press; 1999.
	Nakamura ZM, Deal AM, Nyrop KA, Chen YT, Quillen LJ, Brenizer T, Muss HB. Serial Assessment of Depression and Anxiety by Patients and Providers in Women Receiving Chemotherapy for Early Breast Cancer. Oncologist. 2021 Feb;26(2):147-156. doi: 10.1002/onco.13528. Epub 2020 Oct 2. PMID: 32946156; PMCID: PMC7873340.
	Niedzwiedz, C.L., Knifton, L., Robb, K.A. et al. Depression and anxiety among people living with and beyond cancer: a growing clinical and research priority. BMC Cancer 19, 943 (2019). https://doi.org/10.1186/s12885-019-6181-4
	PDQ® Supportive and Palliative Care Editorial Board. PDQ Adjustment to Cancer. Bethesda, MD: National Cancer Institute. Updated <12/16/2022>. Available at: https://www.cancer.gov/about-cancer/coping/feelings/anxiety-distress-hp-pdg . Accessed <03/14/2023>. [PMID: 26389397]
	Rollnick, S., Miller, W. R., & Butler, C. C. (2023). Motivational interviewing in health care: Helping patients change behavior (2nd ed.). New York, NY: The Guilford Press.
	Skinner, W. & Cooper, C. (2013). Psychotherapy essentials to go: Motivational interviewing for concurrent disorders. New York, NY: W. W. Norton & Company.
1	





OUR FEEDBACK



unclcn.org/survey

Your feedback helps us develop great Oncology Telehealth webinars.

Please respond by June 16!





